
WO 2005/055805 PCT/US2004/040423



WO 2005/055805 PCT/US2004/040423

2/11




Fig. 2




Fig. 2A

WO 2005/055805 PCT/US2004/040423

4/11




Fig. 2B

Algo based new associated sign											31		•									
Algo Based Alternative Syndromes by Probability with Polydactyly at 10 wks, After Earliest seen&Classif Exclusion of Meckel-Gruber Syndrome	Bardet-Biedi syndrame	Elis-Van Creveld syndrome	Short rib polydactyly syndrome Type 1	Palüster-Kililan Syndrome	46, XY, -5, +der(5)	APERT SYNDROME	BECKWITH-WIEDEMANN SYNDROME; BWS	HOLT-ORAM SYNDROME; HOS	ACHONDROGENESIS, TYPE II; ACG2	FRASER SYNDROME	RUTLEDGE LETHAL MULTIPLE CONGENITAL ANOMALY SYNDROME	SMITHLEML-OPITZ SYNDROME; SLOS	SIMPSON-GOLABLBEHMEL SYNDROME, TYPE 1; SGBS1	ACROCALLOSAL SYNDROME; ACLS	ASPHYXIATING THORACIC DYSTROPHY; ATD	JOUBERT SYNDROME 1; JBTS1	HYDROLETHALUS SYNDROME	SPLIT-HAND/FOOT MALFORMATION 3; SHFM3	ECTODERMAL DYSPLASIA SYNDROME WITH DISTINCTIVE FACIAL APPEARANCE AND PREAXIAL POLYDACTYLY OF FEET	VATER ASSOCIATION	DANDY-WALKER MALFORMATION WITH POSTAXIAL POLYDACTYLY	JOUBERT SYNDROME WITH BILATERAL CHORIORETINAL COLOBOMA
Earliest seen&Classif			12wks 1		11wks I	12wks 1	10wks I	15wks	11 wits I	11wks i			10 WKS 11	11wks 1	11wks I	15wks				10wks	10wks III	
Algo Based Associated Signs		Sloping forehead	Micrognathia -	Potter-like facies	Low-set ears	Microphthalmia	Hypotelorism	Hypertelorism	Cleft palate	Cleft lip	Macrostomia	Short neck	Increased NT	Septal defects	Coandation of sorta	Pulmonary hypoplasia 15wks	Splenomegaly	Asplenia	Accessory spleen	Single umbilical artery 10wks	Omphalocele	Intestinal mairotation
Algo Based Most Common Algo Based Syndrome Associated	Meckel Gruber Syndrome																	`				
Earliest seen	10wks																					
Earlik	Polydactyly (101)																					

Fig. 20

		Imperrorate anus		מאר-דאטאר-טופוואר פוויסרטייבי ווידבוי
		Small panilalia	16wke (small penis)	MIDLINE MALFORMATIONS, MULTIPLE, WITH IMB ABNORMALTIES AND HYPOPITUITARISM
		Italia	15wks	HOLOPROSENCEPHALY 1, ALOBAR; HPE1
		"		ROBINOW-SORAUF SYNDROME
		s/et	10wfs III	THANATOPHORIC DYSPLASIA; TD
		Г	12wks	RUBINSTEIN SYNDROME
		Duplicated uniters		KLIPPEL-TRENAUNAY-WEBER SYNDROME
		Hypoplastic bladder		POLYCYSTIC KIDNEYS
		Bowed long bones	16wks	
		Syndactyly	9wks 1	30
		Clinodactyty	15wks	
		Talipes	11wks	
		Polydactyly (101)	10wks I	
		Amold-Chiari malformation	14wks	•
		Occipital		٠
		encephalocele	10wks i	
			9wks III	
		Dandy-Walker malformation	11wks	
		Cerebral hypoplasia		
		Cerebellar hypoplasia 14wks	14wks	
		Anencephaly	9w/cs	
	,	Absence of corpus cellosum		
		Adrenal hypoplasia		
		Oligohydramnios	9wks III	
		Placental enlargement		

Fig. 2D






Fig. 3A




Fig. 3B




Fig. 4A




Fig. 4B




Fig. 4C